

Time 24h	Sensor glucose value mmol/L	Sensor raw value (ISIG) nA	BG meter calibration mmol/L	"Homemade" estimate based on last calibration	Veo's ISIG/SG factor nA/(mmol/L)	"Homemade" ISIG/BG factor using ISIG 10-20min after calibration	Insulin bolus	Food intake
14:51	4.2							Sandwich+coffee
14:56	3.8							
15:01	3.6							
15:06	3.5							
15:11	3.2	10.30			3.22			
15:14			6.0			1.97		
15:16	3.2	10.34			3.23	1.97		
15:21	3.6	11.14			3.09	1.97		
15:26	4.9	11.88			2.42	1.97		
15:31	5.2	12.50		6.3	2.40	1.97		
15:33							0.5 U	
15:36	5.7	13.40		6.8	2.35	1.97		
15:41	5.9	13.94		7.1	2.36	1.97		
15:46	6.5	15.12		7.7	2.33	1.97		
15:51	6.9	15.90		8.1	2.30	1.97		
15:56	7.0	16.16		8.2	2.31	1.97		
16:01	7.2	16.30		8.3	2.26	1.97		
16:06	7.1	16.22		8.2	2.28	1.97		
16:09			8.6			1.85	0.5U	
16:11	7.1	16.18		8.4	2.28	1.93		
16:16	7.0	16.16		8.5	2.31	1.91		
16:21	7.5	15.86		8.4	2.11	1.89		
16:26	7.4	15.64		8.5	2.11	1.85		
16:31	7.3	15.36		8.3	2.10	1.85		
16:36	7.2	15.12		8.2	2.10	1.85		
16:41	6.9	14.70		8.0	2.13	1.85		
16:46	6.7	14.30		7.7	2.13	1.85		
16:51	7.0	14.94		8.1	2.13	1.85		
16:56	7.1	15.02		8.1	2.12	1.85		
17:01	6.4	13.80		7.5	2.16	1.85		
17:05			5.2			2.21		1 glass of pop
17:06	5.8	12.62		6.4	2.18	1.97		
17:11	5.5	12.04		5.9	2.19	2.03		
17:16	5.2	11.40		5.4	2.19	2.09		
17:21	5.1	11.10		5.0	2.18	2.21		
17:26	5.0	10.86		4.9	2.17	2.21		
17:31	5.0	10.86		4.9	2.17	2.21		
17:36	5.3	11.38		5.1	2.15	2.21		
17:41	5.6	11.86		5.4	2.12	2.21		
17:46	5.8	12.26		5.5	2.11	2.21		
17:51	5.9	12.58		5.7	2.13	2.21		
17:56	5.9	12.42		5.6	2.11	2.21		
18:01	5.7	12.14		5.5	2.13	2.21		
18:06	5.6	11.98		5.4	2.14	2.21		
18:11	5.5	11.76		5.3	2.14	2.21		
18:15			5.4			2.07		
18:16	5.4	11.60		5.4	2.15	2.16		
18:21	5.3	11.50		5.4	2.17	2.14		
18:26	5.3	11.26		5.3	2.12	2.11		
18:31	5.0	10.70		5.2	2.14	2.07		
18:36	4.8	10.30		5.0	2.15	2.07		
18:41	4.6	9.92		4.8	2.16	2.07		
18:46	4.4	9.60		4.6	2.18	2.07		
18:51	4.6	9.80		4.7	2.13	2.07		
18:56	5.5	11.52		5.6	2.09	2.07		
19:01	5.4	11.40		5.5	2.11	2.07		
19:06	4.9	10.62		5.1	2.17	2.07		
19:11	4.7	10.06		4.9	2.14	2.07		
19:16	4.3	9.54		4.6	2.22	2.07		
19:21	4.0	8.96		4.3	2.24	2.07		
19:26	4.0	8.94		4.3	2.24	2.07		
19:27			4.7			2.07		